



Beyond Providing Water...

Republic of the Philippines
SAN FRANCISCO WATER DISTRICT
San Francisco, Agusan del Sur

SAN FRANCISCO WATER DISTRICT LABORATORY
(DOH Accreditation No.: 16-002-16-LW-1)

WATER BACTERIOLOGICAL EXAMINATION

CLIENT'S INFORMATION

Date: June 18, 2020

Requested by : Lianga Water District
Address of requesting party : Annex-A, Market Mall, Lianga, Surigao del Sur
Contact Person & No. : Wilfredo G. Sanchez - 09299757591

SAMPLE'S INFORMATION

LABORATORY'S INFORMATION

Date and time of collection : June 9, 2020 - 7:30am
Location of sampling point : Patricia Rivas, Zone-2 P-1, Lianga, Surigao del Sur
Sample source : Surface water
Sampling point : Faucet
Treatment process : None
Disinfection process : Chlorine
Analyte/Sample Identity : Product

Sample No. : B20-06-1458
Physical characteristics : Clear
Date examined : June 9, 2020
Date paid / O.R. no. : June 9, 2020 - 534547

LABORATORY RESULTS

PARAMETERS	RESULT OF ANALYSIS	PNSDW (Phil. Nat'l Standards for Drinking Water)	REMARKS
HPC (Heterothropic Plate Count)	255	less than 500 cfu/mL	Passed ✓
Total Coliform	less than 1.1	less than 1.1 (MPN/100 mL)	Passed ✓
Fecal Coliform / Thermotolerant	less than 1.1	less than 1.1 (MPN/100 mL)	Passed ✓

Method of Determination: Multiple Tube Fermentation Technique (MTFT) for Coliform.

: Pour plate method for HPC

Remarks: Result of examination relate only to sample as submitted and tested.

Water sample is negative of both total and fecal coliform organisms.

HPC is within the standard limit set by PNSDW.

I hereby certify that the above data/information are true and correct.

Prepared & Certified Correct

Approved:

Noted:

CYD OLIVETE P. COMPLETO
(Cert. No. WMLA 12-0223)
U/CSO-A/QWPS

MAMRY B. PAYLANGCO
Division Manager C


ELMER T. LUZON
General Manager C

Released by: FAVOR FANASIG
Name and Signature

Received by: LESLIE M. ALFARIZ
Name and Signature

Date: JUN 24 2020

Date: _____



Beyond Drowning Water...

Republic of the Philippines
SAN FRANCISCO WATER DISTRICT
San Francisco, Agusan del Sur

SAN FRANCISCO WATER DISTRICT LABORATORY
(DOH Accreditation No.: 16-002-16-LW-1)

WATER BACTERIOLOGICAL EXAMINATION

CLIENT'S INFORMATION

Date: June 18, 2020

Requested by : Lianga Water District
Address of requesting party : Annex-A, Market Mall, Lianga, Surigao del Sur
Contact Person & No. : Wilfredo G. Sanchez - 09299757591

SAMPLE'S INFORMATION

LABORATORY'S INFORMATION

Date and time of collection : June 9, 2020 - 7:10am
Location of sampling point : Mansueto Peñaranda, Zone-3 P-7
Lawis, Brgy. Banahao
Sample source : Surface water
Sampling point : Faucet
Treatment process : None
Disinfection process : Chlorine
Analyte/Sample Identity : Product

Sample No. : B20-06-1459
Physical characteristics : Clear
Date examined : June 9, 2020
Date paid / O.R. no. : June 9, 2020 - 534547

LABORATORY RESULTS

PARAMETERS	RESULT OF ANALYSIS	PNSDW (Phil. Nat'l Standards for Drinking Water)	REMARKS
HPC (Heterothropic Plate Count)	1	less than 500 cfu/mL	Passed \
Total Coliform	less than 1.1	less than 1.1 (MPN/100 mL)	Passed \
Fecal Coliform / Thermotolerant	less than 1.1	less than 1.1 (MPN/100 mL)	Passed \

Method of Determination: Multiple Tube Fermentation Technique (MTFT) for Coliform.

: Pour plate method for HPC

Remarks: Result of examination relate only to sample as submitted and tested.

Water sample is negative of both total and fecal coliform organisms.

HPC is within the standard limit set by PNSDW.

I hereby certify that the above data/information are true and correct.

Prepared & Certified Correct

Approved:

Noted:

CYD OLIVETTE P. COMPLETO
(Cert. No. WMLA 12-0223)
U/CSO-A/QWPS

MAMRY B. PAYLANGCO
Division Manager C



ELMER T. LUZON
General Manager C

Released by: LEANNY SANDOZ
Name and Signature

Received by: LESUE R. RIVERA
Name and Signature

Date: JUN 24 2020

Date:



Republic of the Philippines
SAN FRANCISCO WATER DISTRICT
San Francisco, Agusan del Sur

SAN FRANCISCO WATER DISTRICT LABORATORY
(DOH Accreditation No.: 16-002-16-LW-1)

WATER BACTERIOLOGICAL EXAMINATION

CLIENT'S INFORMATION

Date: June 18, 2020

Requested by : Lianga Water District
Address of requesting party : Annex-A, Market Mall, Lianga, Surigao del Sur
Contact Person & No. : Wilfredo G. Sanchez - 09299757591

SAMPLE'S INFORMATION

Date and time of collection : June 9, 2020 - 7:40am
Location of sampling point : Analiza Gascon, Zone-7 P-5
Anibongan
Sample source : Surface water
Sampling point : Faucet
Treatment process : None
Disinfection process : Chlorine
Analyte/Sample Identity : Product

LABORATORY'S INFORMATION

Sample No. : B20-06-1457
Physical characteristics : Clear
Date examined : June 9, 2020
Date paid / O.R. no. : June 9, 2020 - 534547

LABORATORY RESULTS

PARAMETERS	RESULT OF ANALYSIS	PNSDW (Phil. Nat'l Standards for Drinking Water)	REMARKS
HPC (Heterothropic Plate Count)	305	less than 500 cfu/mL	Passed
Total Coliform	less than 1.1	less than 1.1 (MPN/100 mL)	Passed
Fecal Coliform / Thermotolerant	less than 1.1	less than 1.1 (MPN/100 mL)	Passed

Method of Determination: Multiple Tube Fermentation Technique (MTFT) for Coliform.

: Pour plate method for HPC

Remarks: Result of examination relate only to sample as submitted and tested.
Water sample is negative of both total and fecal coliform organisms.
HPC is within the standard limit set by PNSDW.

I hereby certify that the above data/information are true and correct.

Prepared & Certified Correct

CYD OLIVETTE P. COMPLETO
(Cert. No. WMLA 12-0223)
U/CSO-A/QWPS

Released by: JEAN V. BANGSIG
Name and Signature

Date: JUN 24 2020

Approved:


6/22/2020
MAMRY B. PAYLANGCO
Division Manager C

Noted:

EMER T. LUZON
General Manager C

Received by: LESLIE N. RIVERA
Name and Signature

Date: _____



"Beyond Providing Water..."

Republic of the Philippines
SAN FRANCISCO WATER DISTRICT
San Francisco, Agusan del Sur

SAN FRANCISCO WATER DISTRICT LABORATORY
(DOH Accreditation No.: 16-002-16-LW-1)

WATER BACTERIOLOGICAL EXAMINATION

CLIENT'S INFORMATION

Date: June 18, 2020

Requested by : Lianga Water District
Address of requesting party : Annex-A, Market Mall, Lianga, Surigao del Sur
Contact Person & No. : Wilfredo G. Sanchez - 09299757591

SAMPLE'S INFORMATION

Date and time of collection : June 9, 2020 - 6:24am
Location of sampling point : Lilibeth Macas, Zone-4, P-2, Pob.
Mar., Diatagon
Sample source : Developed spring
Sampling point : Faucet
Treatment process : None
Disinfection process : Chlorine
Analyte/Sample Identity : Product

LABORATORY'S INFORMATION

Sample No. : B20-06-1454
Physical characteristics : Clear
Date examined : June 9, 2020
Date paid / O.R. no. : June 9, 2020 - 534547

LABORATORY RESULTS

PARAMETERS	RESULT OF ANALYSIS	PNSDW (Phil. Nat'l Standards for Drinking Water)	REMARKS
HPC (Heterothropic Plate Count)	1	less than 500 cfu/mL	Passed
Total Coliform	less than 1.1	less than 1.1 (MPN/100 mL)	Passed
Fecal Coliform / Thermotolerant	less than 1.1	less than 1.1 (MPN/100 mL)	Passed

Method of Determination: Multiple Tube Fermentation Technique (MTFT) for Coliform.

: Pour plate method for HPC

Remarks: Result of examination relate only to sample as submitted and tested.

Water sample is negative of both total and fecal coliform organisms.

HPC is within the standard limit set by PNSDW.

I hereby certify that the above data/information are true and correct.

Prepared & Certified Correct

Approved:

CYD OLIVETTE P. COMPLETO
(Cert. No. WMLA 12-0223)
U/CSO-A/QWPS

6/22/2020
MAMRY B. PAYLANGCO
Division Manager C

Noted:


ELMER T. LUZON
General Manager C

Released by: LEAN V. SIE
Name and Signature

Date: 2020-06-18

Received by: LESTER A. RUFER
Name and Signature

Date: 2020-06-18



Beyond Drowning Water

Republic of the Philippines
SAN FRANCISCO WATER DISTRICT
San Francisco, Agusan del Sur

SAN FRANCISCO WATER DISTRICT LABORATORY
(DOH Accreditation No.: 16-002-16-LW-1)

WATER BACTERIOLOGICAL EXAMINATION

CLIENT'S INFORMATION

Date: June 18, 2020

Requested by : Lianga Water District
Address of requesting party : Annex-A, Market Mall, Lianga, Surigao del Sur
Contact Person & No. : Wilfredo G. Sanchez - 09299757591

SAMPLE'S INFORMATION

Date and time of collection : June 9, 2020 - 6:40am
Location of sampling point : Celia Lanugon, Zone-5, P-4, Panit, Diatagon
Sample source : Developed spring
Sampling point : Faucet
Treatment process : None
Disinfection process : Chlorine
Analyte/Sample Identity : Product

LABORATORY'S INFORMATION

Sample No. : B20-06-1455
Physical characteristics : Clear
Date examined : June 9, 2020
Date paid / O.R. no. : June 9, 2020 - 534547

LABORATORY RESULTS

PARAMETERS	RESULT OF ANALYSIS	PNSDW (Phil. Nat'l Standards for Drinking Water)	REMARKS
HPC (Heterothropic Plate Count)	<1	less than 500 cfu/mL	Passed \
Total Coliform	less than 1.1	less than 1.1 (MPN/100 mL)	Passed \
Fecal Coliform / Thermotolerant	less than 1.1	less than 1.1 (MPN/100 mL)	Passed \

Method of Determination: Multiple Tube Fermentation Technique (MTFT) for Coliform.

: Pour plate method for HPC

Remarks: Result of examination relate only to sample as submitted and tested.

Water sample is negative of both total and fecal coliform organisms.

HPC is within the standard limit set by PNSDW.

I hereby certify that the above data/information are true and correct.

Prepared & Certified Correct

Approved:

Noted:

CYD OLIVETTE P. COMPLETO
(Cert. No. WMLA 12-0223)
U/CSO-A/QWPS

6/22/2020
MAMRY B. PAYLANGCO
Division Manager C


ELMER T. LUZON
General Manager C

Released by: LEAN V. PANASIG
Name and Signature

Received by: LESLIE N. ALFONSO
Name and Signature

Date: JUN 24 2020

Date:



Beyond Providing Water...

Republic of the Philippines
SAN FRANCISCO WATER DISTRICT
San Francisco, Agusan del Sur

SAN FRANCISCO WATER DISTRICT LABORATORY
(DOH Accreditation No.: 16-002-16-LW-1)

WATER BACTERIOLOGICAL EXAMINATION

CLIENT'S INFORMATION

Date: June 18, 2020

Requested by : Lianga Water District
Address of requesting party : Annex-A, Market Mall, Lianga, Surigao del Sur
Contact Person & No. : Wilfredo G. Sanchez - 09299757591

SAMPLE'S INFORMATION

Date and time of collection : June 9, 2020 - 6:51am
Location of sampling point : Jocelyn Libando, Zone-6 P-7
Causeway St. Christine

LABORATORY'S INFORMATION

Sample No. : B20-06-1456
Physical characteristics : Clear
Date examined : June 9, 2020
Date paid / O.R. no. : June 9, 2020 - 534547

Sample source : Developed spring
Sampling point : Faucet
Treatment process : None
Disinfection process : Chlorine
Analyte/Sample Identity : Product

LABORATORY RESULTS

PARAMETERS	RESULT OF ANALYSIS	PNSDW (Phil. Nat'l Standards for Drinking Water)	REMARKS
HPC (Heterothropic Plate Count)	275	less than 500 cfu/mL	Passed ✓
Total Coliform	less than 1.1	less than 1.1 (MPN/100 mL)	Passed ✓
Fecal Coliform / Thermotolerant	less than 1.1	less than 1.1 (MPN/100 mL)	Passed ✓

Method of Determination: Multiple Tube Fermentation Technique (MTFT) for Coliform.

Pour plate method for HPC

Remarks: Result of examination relate only to sample as submitted and tested.

Water sample is negative of both total and fecal coliform organisms.

HPC is within the standard limit set by PNSDW.

I hereby certify that the above data/information are true and correct.

Prepared & Certified Correct

CYD OLIVETTE P. COMPLETO
(Cert. No. WMLA 12-0223)
U/CSO-A/QWPS

Approved:

MAMRY B. PAYLANGCO
Division Manager C

Noted:

ELMER F. LUZON
General Manager C

Released by: LEAN V. MANASIG
Name and Signature

Date: JUN 24 2020

Received by: LESLIE N. ALFEREZ
Name and Signature

Date: