






















	<p>Department of Health Southern Philippines Medical Center <i>Mindanao Testing Center for Water and Analytical Toxicology</i> Friendship Road, Buhangin, Davao City LABORATORY RESULT</p>		
Laboratory No: B-0844-2023		Time	Date
		Collection:	4:00 AM MAR. 06, 2023
		Receipt:	9:42 AM MAR. 06, 2023
		Examination: from 1:00 PM MAR. 06, 2023 to MAR. 13, 2023	
Name:		WILFREDO G. SANCHEZ	
Company Name:		LIANGA WATER DISTRICT	
Company Address:		ANNEX - A, MARKET MALL, LIANGA, SURIGAO DEL SUR	
Source:	Developed spring	Treatment Done:	Yes
Sampling Source:		Sampling point:	Sample 1 : Faucet ; Health Center,
Drinking Water:	Yes		Zone - 7 Purok 1, Brgy. Baucawe
BACTERIOLOGICAL TEST RESULT			
Parameter	Value	Public Water Supply Limits	Remarks
		Unit Normal Value	
Total Coliform	<1.1	MPN/100mL <1.1	PASSED
Thermotolerant Coliform/ E. Coli	<1.1	MPN/100mL <1.1	
Heterotropic Plate Count (HPC)	2	CFU/mL <500	
Method Multiple Tube Fermentation Technique, Pour Plate Method (SMEWW 22nd and 23rd ed.)			
Note: Results of examination are specifically related to the samples as received. This report shall not be reproduced without the approval of RDWTL-SPMC and is not valid for purposes of advertising or sales promotion.			
Analyst:		Verified by:	
Xenia Eve L. Villa, RMT Medical Technologist		Josephine R. Vergara, RMT Water Bacteriology In-Charge/Proficient	
Grace M. Faunillan, RMT Medical Technologist			
Karl Adrian D. Buranday, RMT Medical Technologist			
Noted by:			
Ma. Theresa Fedoc-Minguito, MD, DPSP-CP Pathologist		CERTIFIED TRUE COPY MARY NOREEN C. ENRIQUEZ, RMT, MBA Section Head	

	<p>Department of Health Southern Philippines Medical Center Mindanao Testing Center for Water and Analytical Toxicology Friendship Road, Buhangin, Davao City LABORATORY RESULT</p>		
Laboratory No: B-0845-2023		Time	Date
		Collection:	4:15 AM MAR. 06, 2023
		Receipt:	9:42 AM MAR. 06, 2023
		Examination: from 1:00 PM MAR. 06, 2023 to MAR. 13, 2023	
Name: WILFREDO G. SANCHEZ			
Company Name: LIANGA WATER DISTRICT			
Company Address: ANNEX - A, MARKET MALL, LIANGA, SURIGAO DEL SUR			
Source: Developed spring	Treatment Done: Yes		
Sampling Source:	Sampling point: Sample 2 : Faucet ; Aldrin Vilbestre,		
Drinking Water: Yes	Zone 9,Purok 6, Brgy. Wakat		
BACTERIOLOGICAL TEST RESULT			
Parameter	Value	Public Water Supply Limits	Remarks
		Unit Normal Value	
Total Coliform	<1.1	MPN/100mL <1.1	PASSED
Thermotolerant Coliform/ E. Coli	<1.1	MPN/100mL <1.1	
Heterotropic Plate Count (HPC)	<1.0	CFU/mL <500	
Method Multiple Tube Fermentation Technique, Pour Plate Method (SMEWW 22nd and 23rd ed.)			
Note: Results of examination are specifically related to the samples as received. This report shall not be reproduced without the approval of RDWTL-SPMC and is not valid for purposes of advertising or sales promotion.			
Analyst:  Xenia Eve L. Villa, RMT Medical Technologist  Grace M. Faunillan, RMT Medical Technologist  Karl Adrian D. Buranday, RMT Medical Technologist		Verified by:  Josephine R. Vergara, RMT Water Bacteriology In-Charge/Proficient	
Noted by:  Ma. Theresa Fedoc-Minguito, MD, DPSP-CP Pathologist		CERTIFIED TRUE COPY  MARY NOREEN C. ENRIQUEZ, RMT, MBA Section Head	










	Department of Health Southern Philippines Medical Center <i>Mindanao Testing Center for Water and Analytical Toxicology</i> Friendship Road, Buhangin, Davao City LABORATORY RESULT		
Laboratory No: B-0846-2023		Time	Date
		Collection:	4:25 AM MAR. 06, 2023
		Receipt:	9:42 AM MAR. 06, 2023
		Examination: from	1:00 PM MAR. 06, 2023
		to	MAR. 13, 2023
Name:		WILFREDO G. SANCHEZ	
Company Name:		LIANGA WATER DISTRICT	
Company Address:		ANNEX - A, MARKET MALL, LIANGA, SURIGAO DEL SUR	
Source:	Developed spring	Treatment Done:	Yes
Sampling Source:		Sampling point:	Sample 3 : Faucet ; Rufino Tanjay, Zone 8
Drinking Water:	Yes		Purok 3, Brgy., Liatimco
BACTERIOLOGICAL TEST RESULT			
Parameter	Value	Public Water Supply Limits	Remarks
		Unit	Normal Value
Total Coliform	<1.1	MPN/100mL	<1.1 PASSED
Thermotolerant Coliform/ E. Coli	<1.1	MPN/100mL	<1.1
Heterotropic Plate Count (HPC)	1	CFU/mL	<500
Method			
Multiple Tube Fermentation Technique, Pour Plate Method (SMEWW 22nd and 23rd ed.)			
Note: Results of examination are specifically related to the samples as received. This report shall not be reproduced without the approval of RDWTL-SPMC and is not valid for purposes of advertising or sales promotion.			
Analyst:		Verified by:	
Xenia Eve L. Villa, RMT Medical Technologist		Josephine R. Vergara, RMT Water Bacteriology In-Charge/Proficient	
Grace M. Faunillan, RMT Medical Technologist			
Karl Adrian D. Buranday, RMT Medical Technologist			
Noted by:			
Ma. Theresa Fedoc-Minguito, MD, DPSP-CP Pathologist		CERTIFIED TRUE COPY MARY NOREEN C. ENRIQUEZ, RMT, MBA Section Head.	

	Department of Health Southern Philippines Medical Center <i>Mindanao Testing Center for Water and Analytical Toxicology</i> Friendship Road, Buhangin, Davao City LABORATORY RESULT		
Laboratory No: B-0847-2023		Time	Date
		Collection:	4:40 AM MAR. 06, 2023
		Receipt:	9:42 AM MAR. 06, 2023
		Examination: from	1:00 PM MAR. 06, 2023
		to	MAR. 13, 2023
Name:		WILFREDO G. SANCHEZ	
Company Name:		LIANGA WATER DISTRICT	
Company Address:		ANNEX - A, MARKET MALL, LIANGA, SURIGAO DEL SUR	
Source:		Developed spring	Treatment Done: Yes
Sampling Source:		Sampling point: Sample 4 : Faucet ; Menelio Dollano,	
Drinking Water:		Yes	Zone I Purok 3, Setio Baugo, Brgy. Payasan
BACTERIOLOGICAL TEST RESULT			
Parameter	Value	Public Water Supply Limits	Remarks
		Unit	Normal Value
Total Coliform	<1.1	MPN/100mL	<1.1 PASSED
Thermotolerant Coliform/ E. Coli	<1.1	MPN/100mL	<1.1
Heterotropic Plate Count (HPC)	3	CFU/mL	<500
Method Multiple Tube Fermentation Technique, Pour Plate Method (SMEWW 22nd and 23rd ed.)			
Note: Results of examination are specifically related to the samples as received. This report shall not be reproduced without the approval of RDWTL-SPMC and is not valid for purposes of advertising or sales promotion.			
Analyst:		Verified by:	
Xenia Eve L. Villa, RMT Medical Technologist		Josephine R. Vergara, RMT Water Bacteriology In-Charge/Proficient	
Grace M. Faunillan, RMT Medical Technologist			
Karl Adrian D. Buranday, RMT Medical Technologist			
Noted by:			
Ma. Theresa Fedoc-Minguito, MD, DPSP-CP Pathologist		CERTIFIED TRUE COPY MARY NOREEN C. ENRIQUEZ, RMT, MBA Section Head	

	<p>Department of Health Southern Philippines Medical Center <i>Mindanao Testing Center for Water and Analytical Toxicology</i> Friendship Road, Buhangin, Davao City LABORATORY RESULT</p>		
Laboratory No: B-0848-2023		Time	Date
		Collection:	4:55 AM MAR. 06, 2023
		Receipt:	9:42 AM MAR. 06, 2023
		Examination: from	1:00 PM MAR. 06, 2023
		to	MAR. 13, 2023
Name: WILFREDO G. SANCHEZ			
Company Name: LIANGA WATER DISTRICT			
Company Address: ANNEX - A, MARKET MALL, LIANGA, SURIGAO DEL SUR			
Source: Developed spring		Treatment Done: Yes	
Sampling Source:		Sampling point: Sample 5 : Faucet ; PNP/ Lianga, Zone 2	
Drinking Water: Yes		Purok 2, Poblacion Lianga	
BACTERIOLOGICAL TEST RESULT			
Parameter	Value	Public Water Supply Limits	Remarks
		Unit Normal Value	
Total Coliform	<1.1	MPN/100mL <1.1	PASSED
Thermotolerant Coliform/ E. Coli	<1.1	MPN/100mL <1.1	
Heterotropic Plate Count (HPC)	6	CFU/mL <500	
Method Multiple Tube Fermentation Technique, Pour Plate Method (SMEWW 22nd and 23rd ed.)			
<i>Note: Results of examination are specifically related to the samples as received. This report shall not be reproduced without the approval of RDWTL-SPMC and is not valid for purposes of advertising or sales promotion.</i>			
Analyst:		Verified by:	
Xenia Eve L. Villa, RMT Medical Technologist		Josephine R. Vergara, RMT Water Bacteriology In-Charge/Proficient	
Grace M. Faunillan, RMT Medical Technologist			
Karl Adrian D. Buranday, RMT Medical Technologist			
Noted by:			
Ma. Theresa Fedoc-Minguito, MD, DPSP-CP Pathologist		CERTIFIED TRUE COPY MARY NOREEN C. ENRIQUEZ, RMT, MBA Section Head	

	Department of Health Southern Philippines Medical Center Mindanao Testing Center for Water and Analytical Toxicology Friendship Road, Buhangin, Davao City LABORATORY RESULT		
Laboratory No: B-0849-2023		Time	Date
		Collection:	5:10 AM MAR. 06, 2023
		Receipt:	9:42 AM MAR. 06, 2023
		Examination: from	1:00 PM MAR. 06, 2023
		to	MAR. 13, 2023
Name:		WILFREDO G. SANCHEZ	
Company Name:		LIANGA WATER DISTRICT	
Company Address:		ANNEX - A, MARKET MALL, LIANGA, SURIGAO DEL SUR	
Source:		Developed spring	Treatment Done: Yes
Sampling Source:		Sampling point: Sample 6 : Faucet ; Public Market Zone 4	
Drinking Water:		Yes Purok 4, Brgy. Diatagon	
BACTERIOLOGICAL TEST RESULT			
Parameter	Value	Public Water Supply Limits	Remarks
		Unit Normal Value	
Total Coliform	<1.1	MPN/100mL <1.1	PASSED
Thermotolerant Coliform/ E. Coli	<1.1	MPN/100mL <1.1	
Heterotropic Plate Count (HPC)	5	CFU/mL <500	
Method Multiple Tube Fermentation Technique, Pour Plate Method (SMEWW 22nd and 23rd ed.)			
Note: Results of examination are specifically related to the samples as received. This report shall not be reproduced without the approval of RDWTL-SPMC and is not valid for purposes of advertising or sales promotion.			
Analyst:		Verified by:	
Xenia Eve L. Villa, RMT Medical Technologist		Josephine R. Vergara, RMT Water Bacteriology In-Charge/Proficient	
Grace M. Faunillan, RMT Medical Technologist			
Karl Adrian D. Buranday, RMT Medical Technologist			
Noted by:			
Ma. Theresa Fedoc-Minguito, MD, DPSP-CP Pathologist		CERTIFIED TRUE COPY Mary Noreen C. Enriquez, RMT, MBA Section Head	

	Department of Health Southern Philippines Medical Center <i>Mindanao Testing Center for Water and Analytical Toxicology</i> Friendship Road, Buhangin, Davao City LABORATORY RESULT		
Laboratory No: B-0850-2023		Time	Date
		Collection:	5:25 AM MAR. 06, 2023
		Receipt:	9:42 AM MAR. 06, 2023
		Examination: from	1:00 PM MAR. 06, 2023
		to	MAR. 13, 2023
Name:		WILFREDO G. SANCHEZ	
Company Name:		LIANGA WATER DISTRICT	
Company Address:		ANNEX - A, MARKET MALL, LIANGA, SURIGAO DEL SUR	
Source:	Developed spring	Treatment Done:	Yes
Sampling Source:		Sampling point:	Sample 7 : Faucet ; Alger Maisog, Zone 6
Drinking Water:	Yes		Purok 5, Brgy. St. Christine
BACTERIOLOGICAL TEST RESULT			
Parameter	Value	Public Water Supply Limits	Remarks
		Unit	Normal Value
Total Coliform	<1.1	MPN/100mL	<1.1 PASSED
Thermotolerant Coliform/ E. Coli	<1.1	MPN/100mL	<1.1
Heterotropic Plate Count (HPC)	5	CFU/mL	<500
Method Multiple Tube Fermentation Technique, Pour Plate Method (SMEWW 22nd and 23rd ed.)			
Note: Results of examination are specifically related to the samples as received. This report shall not be reproduced without the approval of RDWTL-SPMC and is not valid for purposes of advertising or sales promotion.			
Analyst:		Verified by:	
Xenia Eve L. Villa, RMT Medical Technologist		Josephine R. Vergara, RMT Water Bacteriology In-Charge/Proficient	
Grace M. Faunillan, RMT Medical Technologist			
Karl Adrian D. Buranday, RMT Medical Technologist			
Noted by:			
Ma. Theresa Fedoc-Minguito, MD, DPSP-CP Pathologist		CERTIFIED TRUE COPY MARY NOREEN C. ENRIQUEZ, RMT, MBA Section Head;	

	<p style="text-align: center;">Department of Health Southern Philippines Medical Center Mindanao Testing Center for Water and Analytical Toxicology Friendship Road, Buhangin, Davao City LABORATORY RESULT</p>																																
Laboratory No: B-0852-2023		<table border="1" style="width: 100%;"> <tr> <th></th> <th>Time</th> <th>Date</th> </tr> <tr> <td>Collection:</td> <td>5:45 AM</td> <td>MAR. 06, 2023</td> </tr> <tr> <td>Receipt:</td> <td>9:42 AM</td> <td>MAR. 06, 2023</td> </tr> <tr> <td>Examination: from</td> <td>1:00 PM</td> <td>MAR. 06, 2023</td> </tr> <tr> <td>to</td> <td></td> <td>MAR. 13, 2023</td> </tr> </table>			Time	Date	Collection:	5:45 AM	MAR. 06, 2023	Receipt:	9:42 AM	MAR. 06, 2023	Examination: from	1:00 PM	MAR. 06, 2023	to		MAR. 13, 2023															
	Time	Date																															
Collection:	5:45 AM	MAR. 06, 2023																															
Receipt:	9:42 AM	MAR. 06, 2023																															
Examination: from	1:00 PM	MAR. 06, 2023																															
to		MAR. 13, 2023																															
Name: WILFREDO G. SANCHEZ																																	
Company Name: LIANGA WATER DISTRICT																																	
Company Address: ANNEX - A, MARKET MALL, LIANGA, SURIGAO DEL SUR																																	
Source: Developed spring		Treatment Done: Yes																															
Sampling Source:		Sampling point: Sample 9 : Faucet ; Aleya Vitanzos, Zone 5																															
Drinking Water: Yes		Purok 3, Nat'l Highway Brgy, Diatagon																															
<table border="1" style="width: 100%; text-align: center;"> <tr> <th colspan="5">BACTERIOLOGICAL TEST RESULT</th> </tr> <tr> <th>Parameter</th> <th>Value</th> <th colspan="2">Public Water Supply Limits</th> <th>Remarks</th> </tr> <tr> <td></td> <td></td> <th>Unit</th> <th>Normal Value</th> <td></td> </tr> <tr> <td>Total Coliform</td> <td><1.1</td> <td>MPN/100mL</td> <td><1.1</td> <td>PASSED</td> </tr> <tr> <td>Thermotolerant Coliform/ E. Coli</td> <td><1.1</td> <td>MPN/100mL</td> <td><1.1</td> <td></td> </tr> <tr> <td>Heterotropic Plate Count (HPC)</td> <td>4</td> <td>CFU/mL</td> <td><500</td> <td></td> </tr> </table>				BACTERIOLOGICAL TEST RESULT					Parameter	Value	Public Water Supply Limits		Remarks			Unit	Normal Value		Total Coliform	<1.1	MPN/100mL	<1.1	PASSED	Thermotolerant Coliform/ E. Coli	<1.1	MPN/100mL	<1.1		Heterotropic Plate Count (HPC)	4	CFU/mL	<500	
BACTERIOLOGICAL TEST RESULT																																	
Parameter	Value	Public Water Supply Limits		Remarks																													
		Unit	Normal Value																														
Total Coliform	<1.1	MPN/100mL	<1.1	PASSED																													
Thermotolerant Coliform/ E. Coli	<1.1	MPN/100mL	<1.1																														
Heterotropic Plate Count (HPC)	4	CFU/mL	<500																														
Method Multiple Tube Fermentation Technique, Pour Plate Method (SMEWW 22nd and 23rd ed.)																																	
<i>Note: Results of examination are specifically related to the samples as received. This report shall not be reproduced without the approval of RDWTL-SPMC and is not valid for purposes of advertising or sales promotion.</i>																																	
Analyst: <div style="text-align: center;">  Xenia Eve L. Villa, RMT Medical Technologist </div> <div style="text-align: center;">  Grace M. Faunillan, RMT Medical Technologist </div> <div style="text-align: center;">  Karl Adrian D. Buranday, RMT Medical Technologist </div>		Verified by: <div style="text-align: center;">  Josephine R. Vergara, RMT Water Bacteriology In-Charge/Proficient </div>																															
Noted by: <div style="text-align: center;">  Ma. Theresa Fedoc-Minguito, MD, DPSP-CP Pathologist </div>		<div style="text-align: center;"> CERTIFIED TRUE COPY  MARY NOREEN C. ENRIQUEZ, RMT, MBA Section Head </div>																															